

深



| Temp<br>(°C) | Rmax<br>(KΩ) | Rcent<br>(KΩ) | Rmin<br>(KΩ) |
|--------------|--------------|---------------|--------------|
| 9            | 445.6026     | 437.7483      | 429.9893     |
| 10           | 423.1517     | 415.9059      | 408.7432     |
| 11           | 401.9581     | 395.2762      | 388.6665     |
| 12           | 381.9447     | 375.7855      | 369.6886     |
| 13           | 363.0394     | 357.3647      | 351.7434     |
| 14           | 345.1751     | 339.9494      | 334.7693     |
| 15           | 328.2888     | 323.4794      | 318.7085     |
| 16           | 312.322      | 307.8984      | 303.507      |
| 17           | 297.2196     | 293.1537      | 289.1145     |
| 18           | 282.9302     | 279.196       | 275.4835     |
| 19           | 269.406      | 265.9792      | 262.5698     |
| 20           | 256.6019     | 253.4601      | 250.3318     |
| 21           | 244.4758     | 241.5983      | 238.7308     |
| 22           | 232.9884     | 230.3558      | 227.7302     |
| 23           | 222.1027     | 219.6972      | 217.296      |
| 24           | 211.784      | 209.589       | 207.3959     |
| 25           | 202          |               |              |

深 圳 市 深 思 泰 電 子 科 技 有 限



| Temp<br>(°C) | Rmax<br>(KΩ) | Rcent<br>(KΩ) | Rmin<br>(KΩ) |
|--------------|--------------|---------------|--------------|
| 93           | 14.4446      | 13.9256       | 13.4238      |
| 94           | 13.9816      | 13.4747       | 12.985       |
| 95           | 13.5354      | 13.0405       | 12.5624      |
| 96           | 13.1054      | 12.6221       | 12.1553      |
| 97           | 12.6909      | 12.2189       | 11.7633      |
| 98           | 12.2914      | 11.8304       | 11.3855      |
| 99           | 11.9061      | 11.4558       | 11.0215      |
| 100          | 11.5345      | 11.0948       | 10.6707      |
| 101          | 11.1761      | 10.7466       | 10.3326      |
| 102          | 10.8304      | 10.4109       | 10.0066      |
| 103          | 10.4968      | 10.087        | 9.6923       |
| 104          | 10.1749      | 9.7746        | 9.3892       |
| 105          | 9.8643       | 9.4733        | 9.0968       |
| 106          | 9.5644       | 9.1824        | 8.8148       |
| 107          | 9.275        | 8.9018        | 8.5427       |
| 108          | 8.9955       | 8.6308        | 8.2801       |
| 109          | 8.7256       | 8.3693        | 8.0268       |
| 110          | 8.4649       | 8.1168        | 7.7822       |
| 111          | 8.2131       | 7.8729        | 7.5461       |
| 112          | 7.9698       | 7.6374        | 7.3181       |
| 113          | 7.7347       |               | 7.098        |
| 114          |              |               |              |



| Temp<br>(°C) | Rmax<br>(KΩ) | Rcent<br>(KΩ) | Rmin<br>(KΩ) |
|--------------|--------------|---------------|--------------|
| 135          | 4.1302       | 3.9318        | 3.7425       |
| 136          | 4.0195       | 3.8253        | 3.6401       |
| 137          | 3.9122       | 3.7222        | 3.541        |
| 138          | 3.8081       | 3.6222        | 3.445        |
| 139          | 3.7073       | 3.5253        | 3.3519       |
| 140          | 3.6095       | 3.4314        | 3.2617       |
| 141          | 3.5147       | 3.3403        | 3.1743       |
| 142          | 3.4227       | 3.252         | 3.0896       |
| 143          | 3.3335       | 3.1664        | 3.0075       |
| 144          | 3.2469       | 3.0834        | 2.9278       |
| 145          | 3.163        | 3.0029        | 2.8506       |
| 146          | 3.0815       | 2.9248        | 2.7757       |
| 147          | 3.0024       | 2.849         | 2.7031       |
| 148          | 2.9257       | 2.7754        | 2.6326       |
| 149          | 2.8512       | 2.7041        | 2.5643       |
| 150          | 2.7789       | 2.6348        | 2.498        |
| 151          | 2.7087       | 2.5676        | 2.4336       |
| 152          | 2.6406       | 2.5024        | 2.3712       |
| 153          | 2.5744       | 2.439         | 2.3106       |
| 154          | 2.5102       | 2.3776        | 2.2517       |
| 155          | 2.4477       | 2.3178        | 2.1946       |
| 156          | 2.3871       |               |              |

深 圳 市 深 思 泰 電 子 科 技 有 限



深圳市深思泰電子科技有限公司

SHENZHEN SENSTECH ELECTRONIC TECHNOLOGY CO., LTD

| Temp<br>(°C) | Rmax<br>(KΩ) | Rcent<br>(KΩ) | Rmin<br>(KΩ) |
|--------------|--------------|---------------|--------------|
| 219          | 0.5861       | 0.547         | 0.5105       |
| 220          | 0.5746       | 0.5362        | 0.5003       |
| 221          | 0.5634       | 0.5256        | 0.4903       |
| 222          | 0.5524       | 0.5153        | 0.4806       |
| 223          | 0.5417       | 0.5052        | 0.4711       |
| 224          | 0.5312       | 0.4953        | 0.4618       |
| 225          | 0.5209       | 0.4856        | 0.4527       |
| 226          | 0.5109       | 0.4762        | 0.4438       |
| 227          | 0.5011       | 0.467         | 0.4352       |
| 228          | 0.4916       | 0.458         | 0.4267       |
| 229          | 0.4822       | 0.4492        | 0.4184       |
| 230          | 0.4731       | 0.4406        | 0.4103       |
| 231          | 0.4642       | 0.4322        | 0.4024       |
| 232          | 0.4554       | 0.424         | 0.3947       |
| 233          | 0.4469       | 0.4159        | 0.3871       |
| 234          | 0.4385       | 0.4081        | 0.3797       |
| 235          | 0.4303       | 0.4004        | 0.3725       |
| 236          | 0.4223       | 0.3929        | 0.3655       |
| 237          | 0.4145       | 0.3856        | 0.3586       |
| 238          | 0.4069       | 0.3784        | 0.3518       |
| 239          | 0.3994       | 0.3713        | 0.3452       |
| 240          | 0.3921       | 0.3645        | 0.3388       |
| 241          | 0.3849       |               |              |



深圳市深思泰電子科技有限公司

SHENZHEN SENSTECH ELECTRONIC TECHNOLOGY CO., LTD

| Temp<br>(°C) | Rmax<br>(KΩ) | Rcent<br>(KΩ) | Rmin<br>(KΩ) |
|--------------|--------------|---------------|--------------|
| 261          | 0.2697       | 0.2497        | 0.2312       |
| 262          | 0.2651       | 0.2454        | 0.2272       |
| 263          | 0.2606       | 0.2412        | 0.2233       |
| 264          | 0.2562       | 0.2371        | 0.2194       |
| 265          | 0.2519       | 0.2331        | 0.2157       |
| 266          | 0.2476       | 0.2291        | 0.212        |
| 267          | 0.2435       | 0.2252        | 0.2084       |
| 268          | 0.2394       | 0.2214        | 0.2048       |
| 269          | 0.2354       | 0.2177        | 0.2013       |
| 270          | 0.2315       | 0.2141        | 0.1979       |
| 271          | 0.2277       | 0.2105        | 0.1946       |
| 272          | 0.2239       | 0.207         | 0.1913       |
| 273          | 0.2203       | 0.2036        | 0.1881       |
| 274          | 0.2167       | 0.2002        | 0.185        |
| 275          | 0.2131       | 0.1969        | 0.1819       |
| 276          | 0.2097       | 0.1937        | 0.1789       |
| 277          | 0.2063       | 0.1905        | 0.1759       |
| 278          | 0.2029       | 0.1874        | 0.173        |
| 279          | 0.1996       | 0.1843        | 0.1702       |
| 280          | 0.1964       | 0.1813        | 0.1674       |
| 281          | 0.1933       | 0.1784        | 0.1646       |
| 282          | 0.1902       |               |              |